

## INDOOR AIR QUALITY MICROBIAL TESTING

MICROBIAL INDOOR AIR QUALITY (IAQ)	
METHOD	TEST CODE
Bulk Bacterial Count w/ Full Genus ID	1008
Bulk, Direct Microscopic Exam	1050
Bulk, Direct Microscopic Exam-SD	1050-SD
Bulk, Direct Microscopic Exam-24 Hours	1050-24
Wipe/Tape, Direct Microscopic Exam	1051
Wipe/Tape, Direct Microscopic Exam-24 Hours	1051-24
Wipe/Tape, Direct Microscopic Exam-Same Day	1051-SD
Non-Viable Spore Trap Analysis	1054
Non-Viable Spore Trap Analysis24 Hours	1054-24HR
Non-Viable Spore Trap Analysis SD	1054-SD
Non-Viable Spore Trap Analysis 48 HR	1054-48HR
Non-Viable Spore Trap Analysis 4 Hour	1054-4HR
Non-Viable Spore Trap Analysis 2 Hour	1054-2HR
Non-Viable Spore Trap Analysis3 Hours	1054.3
Air, Total Bacterial Counts without IDs	1001
Surface/Wipe, Total Bacterial Counts without IDs	1002
Air, Bacterial Count w/ Full Genus ID	1005
Surface/Wipe, Bacterial Count w/ Full Genus ID	1006
Surface/Wipe, Bacterial Count w/ Full Genus ID	1008
Air, Total Fungal Count w/ Identifications	1030
Wipe, Total Fungal Count w/ Identifications	1031
Air, Total Fungal Count w/ Identifications	1032
Bulk, Total Fungal Count w/ Identifications	1033
Air, Total Fungal Counts without IDs	1025
Wipe, Bacillus anthracis Culture	2099
Tape, Quantitative Direct Exam	1049
	1049-24HR